



Plant Health and Biosecurity Directorate
Crop Inputs Division
59 Camelot Drive
Ottawa, Ontario
K1A 0Y9

Tel: (613) 221-7505
Fax: (613) 228-4552
Email: Haley.McKinnon@inspection.gc.ca

August 27th, 2009

Michael Vujjic
Veolia Water Canada, Inc
1015 Lakeshore Blvd East
Toronto, ON M4M 1B3

SUBMISSION	FILE NUMBER*
NUTRI-PEL Processed Sewage 3.5-5.0-0.0	13642DS

Dear Mr. Vujjic,

Thank you for your submission for a label review of the product listed above. We have reviewed the safety, efficacy and label of **NUTRI-PEL Processed Sewage 3.5-5.0-0.0** and determined that the product meets all of the requirements prescribed by the *Fertilizers Act* and *Regulations*. Therefore, the Crop Inputs Division of the CFIA has no objection to the sale of this product in Canada.

Please note that this letter and the approved label are valid until August 27, 2012 or until any changes to the final product, the manufacturing process or the label are made, whichever comes first. To obtain a renewal of this letter, a new submission must be made to the Crop Inputs Division.

Please be advised that this letter is subject to the following conditions and limitations:

- 1) This letter applies **ONLY** to products that are sold in Canada (i.e. regulated under the *Fertilizers Act*). This letter **CANNOT** be used for products that are not sold.
- 2) This letter is not to be misconstrued as certification – the statement "certified by the CFIA" is not permitted to be used in reference to the **NUTRI-PEL Processed Sewage 3.5-5.0-0.0** product.

- 3) The assessment is based on the information provided by **Veolia Water Canada, Inc** during the review of the submission.
- 4) Any changes made to the ingredients of the final product, the manufacturing process or the label will invalidate this letter.
- 5) The actual product label that accompanies the product must match the enclosed approved label; however a copy of the label with the CFIA stamp is NOT to be used as the label that accompanies the product.
- 6) All advertising claims regarding the benefits of the product must be limited to those identified on the product label.

Please note that this letter does not exempt the product from marketplace monitoring and compliance activities undertaken by the CFIA. If a non-compliant product is found for sale, enforcement actions including product detention may be taken. Furthermore, if this product is found to have contravened the *Fertilizers Act and Regulations*, it may invalidate this letter.

Also, as new regulations and/or policies are developed, the acceptability of the product under the *Fertilizers Act and Regulations* may change. It is the responsibility of the manufacturer/distributor/retailer to ensure that the product and the label continue to meet the requirements for sale in Canada, as outlined in the *Fertilizers Act and Regulations* and associated policies.

Furthermore, this letter does not exempt the product from the applicable provincial and/or municipal regulations and requirements.

Please feel free to contact me if you have any questions regarding this letter.

Sincerely,



Haley McKinnon
Fertilizer Section

C.C.: Darrell Mueller, Fertilizer Network Specialist - Ontario

